

```
SEQUENCE LISTING
<110> FUJII, Takeru
      YOKOYAMA, Hideakira
      HAMAMOTO, Hidetoshi
<120> A PEPTIDE HAVING AN AFFINITY FOR gp120
<130> 2001-0019A/LC/01732
<140> 09/757,655
<141> 2001-01-11
<150> JP No. 2000-618|2
<151> 2000-01-11
<160> 19
<170> PatentIn Ver. 2.0
<210> 1
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
<220>
<221> Residue
<222> (1)
<223> Xaa = Asp, Lys, Val, Glu, Gly, Asn or Tyr
<220>
<221> Residue
<222> (2)
<223> Xaa = Val, Asp, Trp, Lys, Phe, Ile, Leu or Tyr
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Val, Asp, Arg, Ala or/Trp
<220>
```

<221> Residue

<222> (4)

 $\langle 223 \rangle$  Xaa = Ala, Trp or Gly

<220>

<221> Residue

<222> (5)

<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg, Phe, Trp, Pro or Tyr

<400> 1

Xaa Xaa Xaa Xaa 1

```
<210> 2
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<220>
<221> Residue
<222> (1)
<223> Xaa = Asp, Lys, Val, Glu, Gly, Asn or Tyr, or polypeptide residue that an
arbitrary amino acid stood in line in the N-terminal side from this amino acid
<220>
<221> Residue
<222> (2)
<223> Xaa = Val, Asp, Trp, Lys, Phe, Ile, Leu/or Tyr
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Val, Asp, Arg, Ala or Trp
<220>
<221> Residue
<222> (4)
<223> Xaa = Ala, Trp or Gly
<220>
<221> Residue
<222> (5)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe, Trp, Pro or Tyr
<400> 2
Xaa Xaa Xaa Xaa
<210> 3
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Requerce: Peptide
<220>
<221> Residue
<222> (1)
<223> Xaa = Asp, Lys, Val, Gly, Asn or Tyr
<220>
<221> Residue
<222> (2)
<223> Xaa = Val, Asp, Trp,/Lys, Phe, Ile, Leu or Tyr
```

```
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Val, Asp, Arg, Ala or Trp
<220>
<221> Residue
<222> (4)
<223> Xaa = Ala, Trp or Gly
<220>
<221> Residue
<222> (5)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Thr, Met, Asn, /Gln, His, Lys, Arg,
Phe, Trp, Pro or Tyr, or polypeptide residue that an arbitrary amino acid
stood in line in the C-terminal side of this amino acid, H
<400> 3
Xaa Xaa Xaa Xaa
 1
<210> 4
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<220>
<221> Residue
<222> (1)
<223> Xaa = Tyr, Arg, Phe, Gly, Trp,/ His or Asp
<220>
<221> Residue
<222> (2)
<223> Xaa = Arg, Tyr, Trp, Afa, Val, Gln, His or Lys
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Tyr, Arg, Gly, Met or Trp
<220>
<221> Residue
<222> (4)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe or Trp
<220>
<221> Residue
<222> (5)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe, Tyr or Trp
```

```
<400> 4
Xaa Xaa Xaa Xaa
<210> 5
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Pertide
<220>
<221> Residue
<222> (1)
<223> Xaa = Tyr, Arg, Phe, Gly, Trp, His \sqrt{r} Asp, or polypeptide residue that an
arbitrary amino acid stood in the N-terminal side from this amino acid
<220>
<221> Residue
<222> (2)
<223> Xaa = Arg, Tyr, Trp, Ala, Val, Gl/n, His or Lys
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Tyr, Arg, Glu, Met \phir Trp
<220>
<221> Residue
<222> (4)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe or Trp
<220>
<221> Residue
<222> (5)
                           Leu, Tle, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
\langle 223 \rangle Xaa = Gly, Ala, Val,
Phe, Tyr or Trp
<400> 5
Xaa Xaa Xaa Xaa
<210> 6
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
<220>
<221> Residue
<222> (1)
<223> Xaa = Tyr, Arg, Phe, Gly, Trp, His or Asp
```

```
<220>
<221> Residue
<222> (2)
<223> Xaa = Arg, Tyr, Trp, Ala, Val, Gln, Hi$ or Lys
<220>
<221> Residue
<222> (3)
<223> Xaa = Lys, Tyr, Arg, Glu, Met or Trp
<220>
<221> Residue
<222> (4)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe or Trp
<220>
<221> Residue
<222> (5)
<223> Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
Phe, Tyr or Trp, or polypeptide residue that an arbitrary amino acid stood in li
in the C-terminal side of this amino acid
<400> 6
Xaa Xaa Xaa Xaa
<210> 7
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<400> 7
Gly Gly Asp Val Lys Ala Gly
                  5 i
<210> 8
<211> 6
<212> PRT
<213> Artificial Sequende
<223> Description of Artificial Sequence: Peptide
<400> 8
Gly Asp Val Lys Ala Gly
 1
<210> 9
<211> 6
<212> PRT
<213> Artificial Sequen¢e
```

```
<220>
<223> Description of Artificial Sequence: Peptide
<400> 9
Gly Tyr Tyr Lys Ala Ala
<210> 10
<211> 6
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
<400> 10
Gly Tyr Ala Tyr Arg Lys
<210> 11
<211> 6
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial $equence: Peptide
<400> 11
Arg Tyr Tyr Lys Ala Ala
<210> 12
<211> 4
<212> PRT
<213> Artificial Sequence
<223> Description of Art/fic/al Sequence: Peptide
<400> 12
Asp Val Lys Ala
<210> 13
<211> 3
<212> PRT
<213> Artificial Sequen¢e
<223> Description of Att ficial Sequence: Peptide
<400> 13
Asp Val Lys
<210> 14
```

```
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<400> 14
Tyr Tyr Lys Ala
<210> 15
<211> 3
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequen\phie: Peptide
<400> 15
Tyr Tyr Lys
 1
<210> 16
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<400> 16
Tyr Tyr Lys Pro Pro
<210> 17
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
<400> 17
Asp Val Lys Pro Gly
<210> 18
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
<400> 18
Asp Val Lys Asp Gly
```

1 <210> 19 <211> 5 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Seguence: Peptide <400> 19 Asp Val Lys Ala Glu